

VIML-MSDS-109 Page 1 of 13 Rev: 1

Date: 20th November

2024

# **SAFETY DATA SHEET**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier

Trade name VICTREX LMPAEK™ 101 and 103

1.2 Other means of identification

CAS No. PolyArylEtherKetone (PAEK) Polymer (CAS

No. 104570-14-1)

EC No. Not applicable. REACH Registration No. Not applicable.

1.3 Recommended use of the substance and restrictions on use

Identified use(s)

The materials are generally used for injection

moulding and extrusion operations.

1.4 Details of the supplier of the safety data sheet

data silee

1.4.1

**Manufacturer Details** 

Company Identification Victrex Manufacturing Ltd.

Hillhouse International, Thornton-Cleveleys

Lancashire, UK - FY5 4QD

Telephone + 44 (0) 1253 897700

Fax: + 44 (0) 1253 897701

F Mail (competent percent) PARS @victory comp

E-Mail (competent person) RAPS@victrex.com

1.4.2 Only Representative details

Company Identification Stewardship Chemicals 40,

Dlugosza 67, 43-188 Orzesze,

Poland

Telephone: +48 501168430

E-Mail (competent person) <u>pawelskiba@stewardshipsolutions.eu</u>



VIML-MSDS-109 Page 2 of 13

Rev: 1

Date: 20th November

2024

1.4.3 Regional Importer Address

See section 16 for regional importer / supplier

information

1.5 Emergency telephone number

Emergency Phone No. + 44 (0) 1253 897754 – UK (24/7)

Hours of operation 09:00 - 17:00 (Monday -

Friday)

None.

+(49) 6192 964 900 - Europe +(1) 484 342 6001 - USA + 86-21-6113 6900 - China

# **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP). Not classified as dangerous for supply/use.

2.2 Label elements (GHS)

Hazard pictogram(s)

Signal word(s)

Hazard statement(s)

Precautionary statement(s)

None.

None.

**2.3 Other hazards** Not classified as PBT or vPvB.

PAEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100

or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Not explosive.

**2.4 Additional Information** None.



VIML-MSDS-109 **Page 3 of 13** Rev: 1

Date: 20th November

2024

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

PolyArylEtherKetone (PAEK) Polymer, CAS No. 104570-14-1

This product does not contain any reportable hazardous materials

Classification according to Regulation EC No. 1272/2008 [CLP]:

Hazardous ingredient(s)	%W/W	EC No.	CAS No.	REACH Registration No.	Hazard statement(s)
None.	-	-	-	-	-

#### 3.2 Additional Information

For full text of H/P phrases see section 16.

# **SECTION 4: FIRST AID MEASURES**



### **Description of first aid measures**

Inhalation Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

Skin Contact After contact with skin, wash immediately with

> plenty of soap and water. In the event of contact with molten product: Cool affected area quickly with water. Do not attempt to remove hardened

product. Obtain medical attention.

**Eye Contact** Flush eyes with water for at least 2 minutes while

holding eyelids open.

Ingestion Call a physician (or poison control centre

immediately). Do not induce vomiting wash out

mouth with water.

**4.2** Most important symptoms and effects, Unlikely to be required but if necessary treat

symptomatically. both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat

symptomatically.



VIML-MSDS-109 Page 4 of 13 Rev: 1

Date: 20th November

2024

# **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 **Extinguishing media** 

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder

> > or CO2 for extinction.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the

substance or mixture

In case of fire the following can develop: Oxides of

carbon.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable

protective clothing should be worn in fire

conditions.

Dust is ignitable but will not sustain combustion. A high temperature source of ignition is required. Insensitive to sparks. The minimum spark energy required for ignition of a dust cloud is greater than

5000 mJ. It will not train fire, e.g. along beams etc.

5.4 Other Dispose of contaminated extinction water

according to official regulations.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective

Avoid inhalation and contact with eyes or skin. equipment and emergency procedures Ensure sufficient supply of air. Avoid build up of

> dust. Remove possible cause of ignition – do not smoke. Take precautionary measures against static

discharge.

6.2 **Environmental precautions** Avoid release to the environment. Prevent surface

and ground water infiltration, as well as ground

penetration.

6.3

and cleaning up

**Methods and material for containment** Sweep up carefully with non-sparking tools.

Transfer to a lidded container for disposal or

recovery.

6.4 Reference to other sections Refer to Section 8 for personal protective

equipment (PPE)

Refer to Section 13 for disposal considerations.

**Additional Information** 6.5 None.



VIML-MSDS-109 Page 5 of 13 Rev: 1

Date: 20th November

2024

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in work room. Avoid build up of dust. Local Exhaust Ventilation at the workplace or on the processing machines required.

Machine Cleaning (purging): Purging with other polymers (e.g Polyethylene) at high temperatures can be hazardous. Auto ignition may also occur. Local exhaust ventilation is required. The relevant Safety Data Sheet for the purge material to be used should be consulted. Additional information can be obtained from the Victrex website www.victrex.com www.victrex.com

# 7.2 Conditions for safe storage, including any incompatibilities

**Conditions for safe storage, including** Store products enclosed, in original packing.

Storage Temperature

Store at room temperature.

Storage Life

> 10 Year(s).

Incompatible materials

None known

### 7.3 Specific end use(s)

The materials are generally used for injection moulding and extrusion operations.



VIML-MSDS-109 Page 6 of 13

Rev: 1

Date: 20th November

2024

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Ensure adequate ventilation.

8.1.1 Occupational exposure limits

None.

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Dust. (general dust	-	-	10			Inhalable Dust
limit value)			4			Respirable
						Dust.

8.1.2 Biological limit value None

**8.1.3 PNECs and DNELs** Not available.

8.2 Exposure controls

**8.2.1** Appropriate engineering controls Local Exhaust Ventilation at the workplace or on

the processing machines required.

8.2.2 Personal protection equipment

Eye/face protection Eye protection with side protection (EN 166)



Skin protection (Hand protection/ Other) Impervious Gloves. Plastic or synthetic rubber



gloves. Additional information on hand protection – No tests have been performed. When dealing with heated material: Insulating

gloves EN 407 (heat)

breathing mask with fine dust filter (EN 143)

**8.2.3 Environmental Exposure Controls** No special requirements.



VIML-MSDS-109 Page 7 of 13

Rev: 1

Date: 20th November

2024

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

Appearance Solid (Powder/Granulate)

Colour. Off White (Powder); Grey/ Brown

(granulate)

Odour Odourless
Odour threshold (ppm)
None

pH (Value)

Melting point (°C)

Boiling point/boiling range (°C):

Flash point (°C)

Evaporation rate

Not applicable

290 - 340°C

Not known.

Not known.

Flammability (solid, gas) Solid, Non-flammable

Explosive limit ranges

Vapour pressure (Pascal)

Vapour density (Air=1)

Bulk Density (g/ml)

Not explosive.

39.6 (@107°C)

Not known

~1.3

Solubility (Water)

Solubility (Other)

Partition coefficient (n-Octanol/water)

Auto ignition point (°C)

Decomposition temperature (°C)

Viscosity (mPa. s)

Kinematic viscosity (mm²/s)

Insoluble

Insoluble

S95°C

> 450°C

Not known

Not applicable

Particle characteristics Granule (pellets) dimensions:

Length 2.0 - 4.0mm; diameter 2.0 -

3.5mm

Powder grades:

Course white powder typically ~ 5mm

particle size.

No 'Nanoparticles' or 'Nanomaterial' substances (per the definition in EU Commission Recommendation 2022/3689/EU) have been generated in the manufacturing process, nor intentionally added to the Victrex grades detailed above.

#### 9.2 Other information



VIML-MSDS-109 Page 8 of 13 Rev: 1

NEV. I

Date: 20th November

2024

# 9.2.1 Information with regard to physical hazard

classes

**Explosives** Not explosive

### **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.
 10.3 Possibility of hazardous reactions Stable under normal conditions.

**10.4 Conditions to avoid** Stable under normal conditions. Electrostatic

charge.

Open flame, ignition sources. Decomposes at

temperatures above 450°C.

**10.5** Incompatible materials Concentrated Sulphuric acid

**10.6 Hazardous Decomposition Product(s)** Oxides of carbon

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### 11.1.1 Substances

#### **Acute toxicity**

Ingestion Predicted to be low toxicity under normal

conditions of handling and use.

Inhalation Mechanical irritation of the respiratory tract.

Skin Contact Repeated and/or prolonged skin contact may

cause irritation.

In the event of contact with molten product: Thermal Burns (molten polymer will adhere to

skin and cause severe burns).

Eye Contact No data. Dust may have irritant effect on eyes.

Permanent damage is unlikely.

Hazard label(s) Not known Serious eye damage/irritation Not known respiratory or skin sensitization Not known Mutagenicity Not known Carcinogenicity Not known **Reproductive toxicity** Not known STOT - single exposure Not known STOT - repeated exposure Not known



VIML-MSDS-109 Page 9 of 13

Rev: 1

Date: 20th November

2024

**Aspiration hazard** Not known

**11.1.2 Mixtures** Not applicable

11.2 Information on other hazards None

**11.2.1 Endocrine disrupting properties** PAEK polymer does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher

**11.2.2 Other information** None

### **SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity** Low toxicity to aquatic organisms.

**12.2 Persistence and degradability** Not readily biodegradable.

**12.3 Bioaccumulative potential** Not classified as PBT or vPvB.

**12.4 Mobility in soil** The product has low mobility in soil. The product

has low mobility in sediment.

**12.5 Results of PBT and vPvB assessment** Not classified as PBT or vPvB.

**12.6 Endocrine disrupting properties** PAEK polymer does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or

Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

**12.7 Other adverse effects**None anticipated



VIML-MSDS-109 Page 10 of 13

Rev: 1

Date: 20th November

2024

# **SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1** Waste treatment methods Disposal should be in accordance with local,

regional, state or national legislation.

**13.2 Additional Information** The European waste codes are recommendations

based on the scheduled use of this product. For alternative uses and applications, other waste

codes may be allocated under certain

circumstances.

07 02 13- waste plastic, 07 02 99-waste not

otherwise specified.

# **SECTION 14: TRANSPORT INFORMATION**

**14.1 Land transport (ADR/RID)**Not classified as dangerous for transport.

UN number Not applicable Proper Shipping Name Not applicable

**14.2 Sea transport (IMDG)**Not classified as dangerous for transport.

UN number Not applicable Proper Shipping Name Not applicable

**14.3** Air transport (ICAO/IATA) Not classified as dangerous for transport.

UN number Not applicable Proper Shipping Name Not applicable

**14.4** Transport in bulk according to Annex II Not applicable

of MARPOL73/78 and the IBC Code



VIML-MSDS-109 Page 11 of 13

Rev: 1

Date: 20th November

2024

**SECTION 15: REGULATORY INFORMATION** 

**15.1 Safety, health and environmental** Not classified as dangerous for supply/use. regulations/legislation specific for the

substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on

None

use

15.1.2 National regulations

**USA** 

TSCA – PAEK Polymer Listed - ACTIVE

OSHA Not classified as a hazardous material under the

criteria outlined in the OSHA Hazard Communication Standard (HCS) (29 CFR

**China** 1910.1200).

China Hazardous Chemical Inventory

2015 Not Listed

**15.2** Chemical Safety Assessment Not relevant for this material.

### **SECTION 16: OTHER INFORMATION**

**The following sections contain revisions or new statements:** Generated in line with Regulation (EU) 2020/878.

#### **LEGEND**

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity

DNEL Derived No Effect Level

PNEL Predicted No Effect Concentration

**References:** Workplace Exposure Limit (UK HSE EH40)

Risk Phrases and Safety Phrases: None

Hazard statement(s) and Precautionary statement(s): None

Training advice: <a href="https://www.victrex.com">www.victrex.com</a>



VIML-MSDS-109 Page 12 of 13

Rev: 1

Date: 20th November

2024

#### **Additional Information**

Manufactured in the UK by Victrex Manufacturing Ltd, under a Quality System approved to ISO 9001.

Additional information on the properties, processing and application of VICTREX polymers is available at www.victrex.com.

These details refer to the product as it is delivered.

The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

# **Regional Importer Addresses**

Victrex USA, Inc.	Victrex Europa GmbH	Victrex Japan Inc.
300 Conshohocken State	Langgasse 16	Mita Kokusai Building Annex
Road	65719 Hofheim/Ts.	1-4-28, Mita, Minato-ku
Suite 120	Germany	Tokyo
West Conshohocken	Tel: +(49) 6192 964900	108-0073 Japan
PA, 19428 USA		Tel: <u>+81 3 5427 4650</u>
Tel: +(1) 484 342 6001		
Victrex High-performance	Victrex Hong Kong	Victrex Taiwan
Materials (Shanghai)	(Regional office)	
Co.,Ltd.		
Co.,Ltd. Part B Building G, No 1688,	Room 2219	12F, No. 101,
	Room 2219 The Metropolis Tower	12F, No. 101, Songren Rd.,
Part B Building G, No 1688,		
Part B Building G, No 1688, Zhuanxing Road,	The Metropolis Tower	Songren Rd.,
Part B Building G, No 1688, Zhuanxing Road, Xinzhuang Industry Park,	The Metropolis Tower 10 Metropolis Drive	Songren Rd., Xinyi District
Part B Building G, No 1688, Zhuanxing Road, Xinzhuang Industry Park, Shanghai 201108,	The Metropolis Tower 10 Metropolis Drive Hunghom, Kowloon	Songren Rd., Xinyi District Taipei City 110
Part B Building G, No 1688, Zhuanxing Road, Xinzhuang Industry Park, Shanghai 201108, China	The Metropolis Tower 10 Metropolis Drive Hunghom, Kowloon Hong Kong	Songren Rd., Xinyi District Taipei City 110 Taiwan
Part B Building G, No 1688, Zhuanxing Road, Xinzhuang Industry Park, Shanghai 201108, China	The Metropolis Tower  10 Metropolis Drive  Hunghom, Kowloon  Hong Kong  Special administrative region,	Songren Rd., Xinyi District Taipei City 110 Taiwan

SDS Date of Preparation: 20-November-2024 Updated from SDS Revision: 19-September-2024



VIML-MSDS-109 Page 13 of 13

Rev: 1

Date: 20th November

2024

#### **Victrex Global Sites**

This information is provided "as is". It is not intended to amount to advice. Use of the product is at the customer's/user's risk. It is the customer's/user's responsibility to thoroughly test the product in each specific application to determine its performance, efficacy and safety for each end-use product, device or other application and compliance with applicable laws, regulations and standards. Mention of a product is no guarantee of availability. Victrex reserves the right to modify products, data sheets, specifications and packaging. Victrex makes no warranties, express or implied (including, without limitation, any warranty of fitness for a particular purpose or of intellectual property non-infringement) and will not be liable for any loss or damage of any nature (however arising) in connection with customer's/user's use or reliance on this information, except for any liability which cannot be excluded or limited by law. This document may be modified or retracted at any time without notice to the customer/user.

Victrex Manufacturing Limited (or another member of the Victrex group) is the owner or the licensee of all intellectual property rights in and to this document including the following trade marks, VICTREX, INVIBIO, JUVORA, APTIV, 450G, PEEK-OPTIMA, SHAPING FUTURE PERFORMANCE, LMPAEK, TRIANGLE (Device). All rights are protected by intellectual property rights including copyright under relevant national and international intellectual property laws and treaties. All rights reserved. Copyright © Victrex Manufacturing Limited 2024.