

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1	Product identifier	
	Trade name	VICTREX HT™ 22GL
1.2	Other means of identification	
	CAS No.	PEK Polymer (27380-27-4 or 75467-54-8)
		Glass fibres (65997-17-3)
	EC No.	Polyetherketone - Not applicable.
		Glass fibres (266-046-0)
	REACH Registration No.	Not available.
1.3	Recommended use of the substance and restricti	
	ldentified use(s)	The materials are generally used for injection moulding and extrusion operations.
1.4	Details of the supplier of the safety data sheet	
1.4.1	Manufacturer Details	
	Company Identification	Victrex Manufacturing Ltd.
		Hillhouse International, Thornton-Cleveleys
		Lancashire, UK - FY5 4QD
	Telephone	+ 44 (0) 1253 897700
	Fax:	+ 44 (0) 1253 897701
	E-Mail (competent person)	<u>RAPS@victrex.com</u>
1.4.2	Only Representative details	
	Company Identification	Stewardship Chemicals 40,
		Dlugosza 67,
		43-188 Orzesze,
		Poland
	Telephone:	+48 501168430
	E-Mail (competent person)	pawelskiba@stewardshipsolutions.eu
1.4.3	Regional Importer Address	See section 16 for regional importer / supplier information
1.5	Emergency telephone number	
	Emergency Phone No.	+ 44 (0) 1253 897754 - UK
		+(49) 6192 964 900 - Europe
		+(1) 484 342 6001 - USA
		Hours of operation 09:00 – 17:00 (Monday – Friday)



SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP).

2.2	2 Label elements (GHS)	
	Hazard pictogram(s)	
	Signal word(s)	
	Hazard statement(s)	
	Precautionary statement(s)	
2.3	Other hazards	

Not classified as dangerous for supply/use.

None. None. None. None. Not classified as PBT or vPvB.

PEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Not explosive, see section 9.2 below.

2.4 Additional Information

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Polyetherketone (PEK) polymer (CAS No. (27380-27-4 or 75467-54-8) This product does not contain any reportable hazardous materials

Classification according to Regulation EC No. 1272/2008 [CLP]:

Hazardous ingredient(s)	%W/W	EC No.	CAS No.	REACH Registration No.	Hazard statement(s)
None.	-	-	-	-	-

3.2 Additional Information

For full text of H/P phrases see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures Inhalation

Skin Contact

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

After contact with skin, wash immediately with plenty of soap and water. In the event of contact with molten product: Cool



	Eye Contact Ingestion	affected area quickly with water. Do not attempt to remove hardened product. Obtain medical attention. Flush eyes with water for at least 2 minutes while holding eyelids open. Call a physician (or poison control centre immediately).Do not induce vomiting wash out mouth with water.
4.2	Most important symptoms and effects, both acute and delayed	Unlikely to be required but if necessary treat symptomatically.
4.3	Indication of any immediate medical attention and special treatment needed	Unlikely to be required but if necessary treat symptomatically.
SECTI	ION 5: FIRE-FIGHTING MEASURES	
5.1	Extinguishing media Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO_2 for extinction.
	Unsuitable Extinguishing Media	None.
5.2	Special hazards arising from the substance or mixture	In case of fire the following can develop: Oxides of carbon.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Dust is ignitable but will not sustain combustion. A high temperature source of ignition is required. Insensitive to sparks. The minimum spark energy required for ignition of a dust cloud is greater than 5000 mJ. It will not train fire, e.g. along beams etc.
5.4	Other	Dispose of contaminated extinction water according to official regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid inhalation and contact with eyes or skin. Ensure sufficient supply of air. Avoid build up of dust. Remove possible cause of ignition – do not smoke. Take precautionary measures against static discharge.
6.2	Environmental precautions	Avoid release to the environment. Prevent surface and ground water infiltration, as well as ground penetration.
6.3	Methods and material for containment and cleaning up	Sweep up carefully with non-sparking tools. Transfer to a lidded container for disposal or recovery.
6.4	Reference to other sections	None.
6.5	Additional Information	None.



SECTI	ION 7: HANDLING AND STORAGE	
7.1	Precautions for safe handling	General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in work room. Avoid build up of dust. Local Exhaust Ventilation at the workplace or on the processing machines required.
		Machine Cleaning (purging): Purging with other polymers (e.g Polyethylene) at high temperatures can be hazardous. Auto ignition may also occur. Local exhaust ventilation is required. The relevant Safety Data Sheet for the purge material to be used should be consulted. Additional information can be obtained from the Victrex website www.victrex.com www.victrex.com
7.2	Conditions for safe storage, including any incompatibilities	Store products enclosed, in original packing.
	Storage Temperature	Store at room temperature.
	Storage Life	> 10 Year(s).
	Incompatible materials	None known
7.3	Specific end use(s)	The materials are generally used for injection moulding and

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational exposure limits

Ensure adequate ventilation.

extrusion operations.

SUBSTANCE.	CAS No.	LTEL (8 hr	LTEL (8 hr	STEL	STEL	Note:
		TWA ppm)	TWA mg/m³)	(ppm)	(mg/m³)	
Dust. (general dust limit	-	-	10			Inhalable Dust
value)			4			Respirable Dust.
Fibre dust inorganic			2 fibres/ml,			
			5 mg/m3			

8.1.2 Biological limit value

- 8.1.3 PNECs and DNELs
- 8.2 Exposure controls
- 8.2.1 Appropriate engineering controls

8.2.2 Personal protection equipment

Eye/face protection



UNCONTROLLED IF PRINTED

None

Not available.

Local Exhaust Ventilation at the workplace or on the processing machines required.

Eye protection with side protection (EN 166)

Page: 4/9



Skin protection (Hand protection/ Other)



Respiratory protection



9.1

8.2.3 Environmental Exposure Controls

Impervious Gloves. Plastic or synthetic rubber gloves. Additional information on hand protection – No tests have been performed. When dealing with heated material: Insulating gloves EN 407

(heat) If above exposure limits are likely to be exceeded, breathing

mask with fine dust filter (EN 143)

No special requirements.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical pro	perties
Appearance	Solid (Granulate)
Colour.	Grey/ Brown (Granulate)
Odour	Odourless
Odour threshold (ppm)	None
pH (Value)	Not applicable
Melting point (°C)	372°C
Boiling point/boiling range (°C):	Not known.
Flash point (°C)	Not known.
Evaporation rate	Not known.
Flammability (solid, gas)	Solid , Non-flammable
Explosive limit ranges	Not explosive.
Vapour pressure (Pascal)	39.6 (@107°C)
Vapour density (Air=1)	Not known
Bulk Density (g/ml)	~1.5
Solubility (Water)	Insoluble
Solubility (Other)	Insoluble
Partition coefficient (n-Octanol/water)	Not known
Auto ignition point (°C)	595°C
Decomposition temperature (°C)	> 450°C
Viscosity (mPa. s)	Not known
Kinematic viscosity (mm ² /s)	Not applicable
Particle characteristics	Granule (pellets) dimensions:
	Length 2.0 – 4.0mm; diameter 2.0 – 3.5mm

No 'Nanoparticles' or 'Nanomaterial' substances (per the definition in EU Commission Recommendation 2022/3689/EU) have been generated in the manufacturing process, nor intentionally added to the Victrex grades detailed above.

9.2 Other information

9.2.1 Information with regard to physical hazard classes Explosives

Not explosive



SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Stable under normal conditions. Stable under normal conditions. Electrostatic charge. Open flame, ignition sources. Decomposes at temperatures above 450°C. Concentrated Sulphuric acid Oxides of carbon

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1	Substances	
	Acute toxicity	
	Ingestion	Predicted to be low toxicity under normal conditions of
		handling and use.
	Inhalation	Mechanical irritation of the respiratory tract.
	Skin Contact	Repeated and/or prolonged skin contact may cause irritation.
		In the event of contact with molten product: Thermal Burns
		(molten polymer will adhere to skin and cause severe burns).
	Eye Contact	No data. Dust may have irritant effect on eyes.
		Permanent damage is unlikely.
	Hazard label(s)	Not known
	Serious eye damage/irritation	Not known
	respiratory or skin sensitization	Not known
	Mutagenicity	Not known
	Carcinogenicity	Not known
	Reproductive toxicity	Not known
	STOT - single exposure	Not known
	STOT - repeated exposure	Not known
	Aspiration hazard	Not known
11.1.2	Mixtures	Not applicable
11.2	Information on other hazards	None
11.2.1	Endocrine disrupting properties	PEK polymer does not contain components considered to
		have endocrine disrupting properties according to REACH
		Article 57(f) or Commission Delegated regulation (EU)
		2017/2100 or Commission Regulation (EU)
		2018/605 at levels of 0.1% or higher

11.2.2 Other information

None

SECTION 12: ECOLOGICAL INFORMATION



12.1 12.2	Toxicity Persistence and degradability	Low toxicity to aquatic organisms. Not readily biodegradable.
12.3	Bioaccumulative potential	Not classified as PBT or vPvB.
12.4	Mobility in soil	The product has low mobility in soil. The product has low mobility in sediment.
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6	Endocrine disrupting properties	PEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
12.7	Other adverse effects	None anticipated
SECT		
	ON 13: DISPOSAL CONSIDERATIONS	
13.1	ON 13: DISPOSAL CONSIDERATIONS Waste treatment methods	Disposal should be in accordance with local, regional, state or national legislation.
		Disposal should be in accordance with local, regional, state or national legislation. The European waste codes are recommendations based on the scheduled use of this product. For alternative uses and applications, other waste codes may be allocated under certain circumstances. 07 02 13- waste plastic, 07 02 99-waste not otherwise specified.

14.1	Land transport (ADR/RID) UN number Proper Shipping Name	Not classified as dangerous for transport. Not applicable Not applicable
14.2	Sea transport (IMDG)	Not classified as dangerous for transport.
	UN number	Not applicable
	Proper Shipping Name	Not applicable
14.3	Air transport (ICAO/IATA)	Not classified as dangerous for transport.
	UN number	Not applicable
	Proper Shipping Name	Not applicable
14.4	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable



SECTIO	N 15: REGULATORY INFORMATION	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	Not classified as dangerous for supply/use.
15.1.1	EU regulations	
	Authorisations and/or restrictions on use	None
15.1.2	National regulations USA	
	TSCA – PEK Polymer	Listed - ACTIVE
	TSCA – Glass Fibre	Listed -ACTIVE
	OSHA	Not classified as a hazardous material under the criteria outlined in the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200).
	China	
	IECSC – PEEK Polymer	Listed
	China Hazardous Chemical Inventory 2015	Not Listed
15.2	Chemical Safety Assessment	Not relevant for this material.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Updated in line with Regulation (EU) 2020/878.

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEL	Predicted No Effect Concentration

References: Workplace Exposure Limit (UK HSE EH40)

Risk Phrases and Safety Phrases: None

Hazard statement(s) and Precautionary statement(s): None

Training advice: <u>www.victrex.com</u>

Additional Information

Manufactured in the UK by Victrex Manufacturing Ltd, under a Quality System approved to ISO 9001.

Additional information on the properties, processing and application of VICTREX polymers is available at www.victrex.com. These details refer to the product as it is delivered.

The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

UNCONTROLLED IF PRINTED



Regional Importer Addresses

Victrex USA, Inc. 300 Conshohocken State Road Suite 120 West Conshohocken PA, 19428 USA Tel: <u>+(1) 484 342 6001</u>

Victrex High-performance

Materials (Shanghai) Co.,Ltd. Part B Building G, No 1688, Zhuanxing Road, Xinzhuang Industry Park, Shanghai 201108, China Tel: <u>+86-21-6113 6900</u> **Victrex Europa GmbH** Langgasse 16 65719 Hofheim/Ts. Germany Tel: <u>+(49) 6192 964900</u>

Victrex Hong Kong (Regional office) Room 2219

The Metropolis Tower 10 Metropolis Drive Hunghom, Kowloon Hong Kong Special administrative region, PRC Tel: <u>+852 2366 1357</u> Victrex Japan Inc.

Mita Kokusai Building Annex 1-4-28, Mita, Minato-ku Tokyo 108-0073 Japan Tel: <u>+81 3 5427 4650</u>

Victrex Taiwan

12F, No. 101, Songren Rd., Xinyi District Taipei City 110 Taiwan Tel: <u>+886-987118240</u>

SDS Date of Preparation: 23 July 2024 – updated from SDS Revision 28 November 2022

Victrex Global Sites

This information is provided "as is". It is not intended to amount to advice. Use of the product is at the customer's/user's risk. It is the customer's/user's responsibility to thoroughly test the product in each specific application to determine its performance, efficacy and safety for each end-use product, device or other application and compliance with applicable laws, regulations and standards. Mention of a product is no guarantee of availability. Victrex reserves the right to modify products, data sheets, specifications and packaging. Victrex makes no warranties, express or implied (including, without limitation, any warranty of fitness for a particular purpose or of intellectual property non-infringement) and will not be liable for any loss or damage of any nature (however arising) in connection with customer's/user's use or reliance on this information, except for any liability which cannot be excluded or limited by law. This document may be modified or retracted at any time without notice to the customer/user.

Victrex Manufacturing Limited (or another member of the Victrex group) is the owner or the licensee of all intellectual property rights in and to this document including the following trade marks, VICTREX, INVIBIO, JUVORA, APTIV, 450G, PEEK-OPTIMA, SHAPING FUTURE PERFORMANCE, LMPAEK, TRIANGLE (Device). All rights are protected by intellectual property rights including copyright under relevant national and international intellectual property laws and treaties. All rights reserved. Copyright © Victrex Manufacturing Limited 2024.