

## SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1	Product identifier	
	Trade name	VICTREX Pipes™ (Black Grades)
1.2	Other means of identification	
	CAS No.	PEEK Polymer (31694-16-3 or 29658-26-2)
	EC No.	Not applicable.
	REACH Registration No.	Not applicable.
1.3	Recommended use of the substance and restrict	tions on use
	Identified use(s)	Article.
1.4	Details of the supplier of the safety data sheet	
1.4.1	Manufacturer Details	
	Company Identification	Victrex Manufacturing Ltd.
		Hillhouse International, Thornton-Cleveleys
		Lancashire, UK - FY5 4QD
	Telephone	+ 44 (0) 1253 897700
	Fax:	+ 44 (0) 1253 897701
	E-Mail (competent person)	RAPS@victrex.com
1.4.2	Only Representative details	
	Company Identification	Stewardship Chemicals 40,
		Dlugosza 67,
		43-188 Orzesze,
		Poland
	Telephone:	+48 501168430
	E-Mail (competent person)	pawelskiba@stewardshipsolutions.eu
1.4.3	Regional Importer Address	See section 16 for regional importer / supplier information
1.5	Emergency telephone number	
	Emergency Phone No.	+ 44 (0) 1253 897754 - UK

+ 44 (0) 1253 897754 - UK +(49) 6192 964 900 - Europe +(1) 484 342 6001 - USA Hours of operation 09:00 – 17:00 (Monday – Friday)

## SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**UNCONTROLLED IF PRINTED** 



2.1.1	Regulation (EC) No. 1272/2008 (CLP).	Not classified as dangerous for supply/use.
2.2	Label elements (GHS)	None.
	Hazard pictogram(s)	None.
	Signal word(s)	None.
	Hazard statement(s)	None.
	Precautionary statement(s)	None.
2.3	Other hazards	Not classified as PBT or vPvB.
		PEEK polymer does not contain components considered

PEEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Not explosive, may form explosible dust clouds in air See section 9.2 below.

#### 2.4 Additional Information

None.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Polyetheretherketone polymer (CAS No. 29658-26-2 or 31694-16-3). Carbon Black (CAS No. 1333-86-4) This product does not contain any reportable hazardous materials.

#### Classification according to Regulation EC No. 1272/2008 [CLP]:

Hazardous ingredient(s)	%W/W	EC No.	CAS No.	REACH Registration No.	Hazard statement(s)
None.	-	-	-	-	-

#### **3.2 Additional Information**

For full text of H/P phrases see section 16.

## **SECTION 4: FIRST AID MEASURES**



## 4.1 Description of first aid measures Inhalation

Skin Contact

## Remove victim to fresh air and keep at rest in a position comfortable for breathing.

After contact with skin, wash immediately with plenty of soap and water. In the event of contact with molten product: Cool affected area quickly with water. Do not attempt to remove hardened product. Obtain medical attention.

#### **UNCONTROLLED IF PRINTED**

Page: 2/9



	Eye Contact	Flush eyes with water for at least 2 minutes while holding eyelids open. Call a physician (or poison control centre immediately).Do not
	-	induce vomiting wash out mouth with water.
4.2	Most important symptoms and effects, both acute and delayed	Unlikely to be required but if necessary treat symptomatically.
4.3	Indication of any immediate medical attention and special treatment needed	Unlikely to be required but if necessary treat symptomatically.
SECTI	ON 5: FIRE-FIGHTING MEASURES	

5.1	<b>Extinguishing media</b> Suitable Extinguishing Media Unsuitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2 for extinction. None.
5.2	Special hazards arising from the substance or mixture	In case of fire the following can develop: Oxides of carbon.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Dust is ignitable but will not sustain combustion. A high temperature source of ignition is required. Insensitive to sparks. The minimum spark energy required for ignition of a dust cloud is greater than 5000 mJ. It will not train fire, e.g. along beams etc.
5.4	Other	Dispose of contaminated extinction water according to official regulations.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid inhalation and contact with eyes or skin. Ensure sufficient supply of air. Avoid build up of dust. Remove possible cause of ignition – do not smoke. Take precautionary measures against static discharge.
6.2	Environmental precautions	Avoid release to the environment. Prevent surface and ground water infiltration, as well as ground penetration.
6.3	Methods and material for containment and	Sweep up carefully with non-sparking tools. Transfer to a lidded
	cleaning up	container for disposal or recovery.
6.4	Reference to other sections	None.
6.5	Additional Information	None.

## **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling

General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in work room. Avoid build up of dust. Local Exhaust



Ventilation at the workplace or on the processing machines required. Note: Danger of explosive dust.

Local Exhaust Ventilation at the workplace or on the

Impervious Gloves. Plastic or synthetic rubber gloves.

Additional information on hand protection - No tests have

When dealing with heated material: Insulating gloves EN 407

If above exposure limits are likely to be exceeded, breathing

Eye protection with side protection (EN 166)

7.2	Conditions for safe storage, including any incompatibilities	Store products enclosed, in original packing.
	Storage Temperature	Store at room temperature.
	Storage Life	> 10 Year(s).
	Incompatible materials	None known

#### 7.3 Specific end use(s)

Article.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

#### 8.1.1 Occupational exposure limits

Ensure adequate ventilation. None.

processing machines required.

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note:
Dust. (general dust limit	-	-	10			Inhalable Dust
value)			4			Respirable Dust.

None

Not available.

#### 8.1.2 Biological limit value

#### 8.1.3 PNECs and DNELs

8.2 Exposure controls

- 8.2.1 Appropriate engineering controls
- 8.2.2 Personal protection equipment Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection

() ()

No special requirements.

been performed.

(heat)

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Environmental Exposure Controls** 

9.1

8.2.3

Information on basic physical and chemical properties Appearance

Solid (Pipe)

mask with fine dust filter (EN 143)

### UNCONTROLLED IF PRINTED

Page: 4/9

Regulatory Affairs & Product Stewardship ISSUE 1



VIML-MSDS-083 Page 5 of 9 Rev: 2 Date: 16-October-2023

Colour.		Black
Odour		Odourless
Odour threshold (ppm	)	None
pH (Value)	, ,	Not applicable
Melting point (°C)		343°C
Boiling point/boiling ra	ange (°C):	Not known.
Flash point (°C)	-	Not known.
Evaporation rate		Not known.
Flammability (solid, ga	s)	Solid , Non-flammable
Explosive limit ranges		Not explosive.
Vapour pressure (Pasca	al)	39.6 (@107°C)
Vapour density (Air=1)	)	Not known
Bulk Density (g/ml)		~1.3
Solubility (Water)		Insoluble
Solubility (Other)		Insoluble
Partition coefficient (n-	-Octanol/water)	Not known
Auto ignition point (°C	C)	595°C
Decomposition tempe	rature (°C)	> 450°C
Viscosity (mPa. s)		Not known
Kinematic viscosity (m	m²/s)	Not applicable
Particle characteristics		Not applicable to pipe form

No 'Nanoparticles' or 'Nanomaterial' substances (per the definition in EU Commission Recommendation 2022/3689/EU) have been generated in the manufacturing process, nor intentionally added to the Victrex grades detailed above.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classes Explosives

Not explosive.

## **SECTION 10: STABILITY AND REACTIVITY**

10.1 10.2	Reactivity Chemical stability	Stable under normal conditions. Stable under normal conditions.
10.3	Possibility of hazardous reactions	Stable under normal conditions.
10.4	Conditions to avoid	Stable under normal conditions. Electrostatic charge.
		Open flame, ignition sources. Decomposes at temperatures above 450°C.
10.5	Incompatible materials	Concentrated Sulphuric acid
10.6	Hazardous Decomposition Product(s)	Oxides of carbon

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- 11.1.1 Substances

Acute toxicity Ingestion

Predicted to be low toxicity under normal conditions of handling and use. Mechanical irritation of the respiratory tract.

**UNCONTROLLED IF PRINTED** 

Inhalation

Page: 5/9



	Skin Contact	Repeated and/or prolonged skin contact may cause irritation. In the event of contact with molten product: Thermal Burns
	Eye Contact	(molten polymer will adhere to skin and cause severe burns). No data. Dust may have irritant effect on eyes. Permanent damage is unlikely.
	Hazard label(s)	Not known
	Serious eye damage/irritation	Not known
	respiratory or skin sensitization	Not known
	Mutagenicity	Not known
	Carcinogenicity	Not known
	Reproductive toxicity	Not known
	STOT - single exposure	Not known
	STOT - repeated exposure	Not known
	Aspiration hazard	Not known
11.1.2	Mixtures	Not applicable
11.2	Information on other hazards	None
11.2.1	Endocrine disrupting properties	PEEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
11.2.2	Other information	None

## 11

SECTION 12: ECOLOGICAL INFORMATION			
12.1	Toxicity	Low toxicity to aquatic organisms.	
12.2	Persistence and degradability	Not readily biodegradable.	
12.3	Bioaccumulative potential	Not classified as PBT or vPvB.	
12.4	Mobility in soil	The product has low mobility in soil. The product has low mobility in sediment.	
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.	
12.6	Endocrine disrupting properties	PEEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher	
12.7	Other adverse effects	None anticipated	
SECTION 13: DISPOSAL CONSIDERATIONS			

13.2	Additional Information	The European waste codes are recommendations based on the scheduled use of this product. For alternative uses and Page: 6/9
13.2	Additional Information	national legislation. The European waste codes are recommendations based on the
13.1	Waste treatment methods	Disposal should be in accordance with local, regional, state or



applications, other waste codes may be allocated under certain circumstances. 07 02 13- waste plastic, 07 02 99-waste not otherwise specified.

SECTION 14: TRANSPORT INFORMATION				
14.1	Land transport (ADR/RID) UN number	Not classified as dangerous for transport.		
	Proper Shipping Name	Not applicable Not applicable		
14.2	Sea transport (IMDG)	Not classified as dangerous for transport.		
	UN number	Not applicable		
	Proper Shipping Name	Not applicable		
14.3	Air transport (ICAO/IATA)	Not classified as dangerous for transport.		
	UN number	Not applicable		
	Proper Shipping Name	Not applicable		
14.4	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable		

#### **SECTION 15: REGULATORY INFORMATION** 15.1 Safety, health and environmental Not classified as dangerous for supply/use. regulations/legislation specific for the substance or mixture 15.1.1 EU regulations Authorisations and/or restrictions on use None 15.1.2 National regulations USA Listed - ACTIVE TSCA – PEEK Polymer OSHA Not classified as a hazardous material under the criteria outlined in the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). China IECSC - PEEK Polymer Listed China Hazardous Chemical Inventory 2015 Not Listed 15.2 Not relevant for this material. **Chemical Safety Assessment**

## **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: No major updates, general review and template update.

#### LEGEND

LTEL Long Term Exposure Limit

#### **UNCONTROLLED IF PRINTED**

Regulatory Affairs & Product Stewardship ISSUE 1



VIML-MSDS-083 Page 8 of 9 Rev: 2 Date: 16-October-2023

STEL Short Term Exposure Limit

STOT Specific Target Organ Toxicity

DNEL Derived No Effect Level

PNEL Predicted No Effect Concentration

References: Workplace Exposure Limit (UK HSE EH40)

Risk Phrases and Safety Phrases: None

Hazard statement(s) and Precautionary statement(s): None

Training advice: <u>www.victrex.com</u>

#### Additional Information

Manufactured in the UK by Victrex Manufacturing Ltd, under a Quality System approved to ISO 9001.

Additional information on the properties, processing and application of VICTREX polymers is available at www.victrex.com. These details refer to the product as it is delivered.

The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

#### **Regional Importer Addresses**

Victrex USA, Inc. 300 Conshohocken State Road Suite 120 West Conshohocken PA, 19428 USA Tel: <u>+(1) 484 342 6001</u>	<b>Victrex Europa GmbH</b> Langgasse 16 65719 Hofheim/Ts. Germany Tel: <u>+(49) 6192 964900</u>	Victrex Japan Inc. Mita Kokusai Building Annex 1-4-28, Mita, Minato-ku Tokyo 108-0073 Japan Tel: <u>+81 3 5427 4650</u>
Victrex High-performance Materials (Shanghai) Co.,Ltd.	Victrex Hong Kong (Regional office)	Victrex Taiwan
Part B Building G, No 1688,	Room 2219	12F, No. 101,
Zhuanxing Road,	The Metropolis Tower	Songren Rd.,
Xinzhuang Industry Park,	10 Metropolis Drive	Xinyi District
Shanghai 201108,	Hunghom, Kowloon	Taipei City 110
China	Hong Kong	Taiwan
Tel: <u>+86-21-6113 6900</u>	Special administrative region, PRC Tel: <u>+852 2366 1357</u>	Tel: <u>+886-987118240</u>

#### SDS Date of Preparation: 16 October 2023 – updated from SDS Revision 9 February 2012

#### Victrex Global Sites

This information is provided "as is". It is not intended to amount to advice. Use of the product is at the customer's/user's risk. It is the customer's/user's responsibility to thoroughly test the product in each specific application to determine its

#### **UNCONTROLLED IF PRINTED**



performance, efficacy and safety for each end-use product, device or other application and compliance with applicable laws, regulations and standards. Mention of a product is no guarantee of availability. Victrex reserves the right to modify products, data sheets, specifications and packaging. Victrex makes no warranties, express or implied (including, without limitation, any warranty of fitness for a particular purpose or of intellectual property non-infringement) and will not be liable for any loss or damage of any nature (however arising) in connection with customer's/user's use or reliance on this information, except for any liability which cannot be excluded or limited by law. This document may be modified or retracted at any time without notice to the customer/user.

Victrex Manufacturing Limited (or another member of the Victrex group) is the owner or the licensee of all intellectual property rights in and to this document including the following trade marks, VICTREX, INVIBIO, JUVORA, APTIV, 450G, PEEK-OPTIMA, SHAPING FUTURE PERFORMANCE, LMPAEK, TRIANGLE (Device). All rights are protected by intellectual property rights including copyright under relevant national and international intellectual property laws and treaties. All rights reserved. Copyright © Victrex Manufacturing Limited 2023.